



serie **MINI-SFER**

Art. **3930**



- Valvola a sfera, filettatura F/F, cromata, con maniglia.
- Ball valve, F/F threaded, chrome plated, with handle.
- Robinet à boisseau sphérique taraudée F/F, chromé, avec poignée.
- Kugelhahn, beiderseits Innengewinde, verchromt, mit Griff.
- Válvula esfera, roscas hembra / hembra, cromada con manija.









POS.	DENOMINAZIONE	PART NAME	DESCRIPTION	TEILBENENNUNG	DENOMINACION	MATERIALE-MATERIALS MATERIAUX-WERKSTOFF- MATERIAL	N°P
1	CORPO	BODY	CORPS	GEHÄUSE	CUERPO	OTTONE CW617N UNI EN 12165	1
2	SFERA	BALL	BILLE	KUGEL	ESFERA	OTTONE CW614N UNI EN 12164	1
3	ASTA	STEM	TIGE	SPINDEL	EJE	OTTONE CW614N UNI EN 12164	1
4	GHIERA	WASHER	EMBOUT	RING	MANGUITO	OTTONE CW614N UNI EN 12164	1
5	SPINA	LOCK PIN	PRISE	STIFT	PASADOR ELÁSTICO	ACCIAIO	1
6	MANIGLIA	HANDLE	POIGNÉE	GRIFF	MANIJA	PA 6,6	1
7	GUARNIZIONE SFERA	BALL SEAT	JOINT DE TENUE BILLE	KUGELDICHTUNG	JUNTA ESFERA	P.T.F.E	1
8	GUARNIZIONE SFERA	BALL SEAT	JOINT DE TENUE BILLE	KUGELDICHTUNG	JUNTA ESFERA	P.T.F.E	1
9	O-RING	O-RING	O-RING	O-RING	O-RING	VITON	1
10	VITE	SCREW	VIS	SCHRAUBE	TORNILLO	ACCIAIO DD11	1

MISURA SIZE	DN	BOX	MASTER BOX	CODICE CODE	ØP	I	L	h	Ch	R	Kv	PN	Kg
1/4"	8	40	240	3930020000	8	10	41	36,5	21	27	4,3	10	0,11
3/8"	10	40	240	3930030000	8	10	41	36,5	21	27	2,7	10	0,10
1/2"	15	30	180	3930040000	10	11	46	37,7	25	27	5,4	10	0,14

Limiti di temperatura: -20°C +150°C - Temperature range: -20°C +150°C.

Art. 3931

-  Valvola a sfera, filettatura M/F, cromata, con maniglia.
-  Ball valve, M/F threaded, chrome plated, with handle.
-  Robinet à boisseau sphérique taraudée M/F, chromé, avec poignée.
-  Kugelhahn, Innen-/Außengewinde, verchromt, mit Griff.
-  Válvula esfera, roscas macho / hembra, cromada con manija.



MISURA SIZE	DN	BOX	MASTER BOX	CODICE CODE	ØP	I	L	h	R	Ch	Kv	PN	Kg
1/4"	8	40	240	3931020000	8	10	41	36,5	27	21	4,3	10	0,10
3/8"	10	40	240	3931030000	8	10	41	36,5	27	21	2,7	10	0,09
1/2"	15	30	180	3931040000	10	11	46	37,7	27	25	5,4	10	0,14

Limiti di temperatura: -20°C +150°C - Temperature range: -20°C +150°C.