

Raccordi in ghisa malleabile zincato

Malleable cast iron fittings
Gusseisen Verschraubungen

RZ

RZ 51S



Nipplo semplice cilindrico fig. 531
Simple nipple fig. 531
Nippel fig. 531

Codice/Code	misura /size	■
RZ51S0012	1/2	10
RZ51S0034	3/4	10
RZ51S0001	1"	10
RZ51S0041	1"1/4	4
RZ51S0021	1"1/2	4
RZ51S0002	2"	2

RZ 53



Manicotto f.f. ISO M2 fig. 270
Sleeve f.f. ISO M2 fig. 270
Muffe ISO M2 fig. 270

Codice/Code	misura /size	■
RZ530014	1/4	10
RZ530038	3/8	10
RZ530012	1/2	10
RZ530034	3/4	10
RZ530001	1"	10
RZ530041	1"1/4	4
RZ530021	1"1/2	4
RZ530002	2"	2
RZ530022	2"1/2	1
RZ530003	3"	1
RZ530004	4"	1
RZ530005	5"	1
RZ530006	6"	1

RZ 52K



Nipplo conico ISO N8 fig. 280
Nipple ISO N8 fig. 280
Doppelnippel ISO N8 fig. 280

Codice/Code	misura /size	■
RZ52K1414	1/4	10
RZ52K3838	3/8	10
RZ52K1212	1/2	10
RZ52K3434	3/4	10
RZ52K0101	1"	10
RZ52K4141	1"1/4	4
RZ52K2121	1"1/2	4
RZ52K0202	2"	2
RZ52K2222	2"1/2	1
RZ52K0303	3"	1
RZ52K0404	4"	1
RZ52K0505	5"	1
RZ52K0606	6"	1

RZ 54K



Riduzione m.f. ISO N4 fig. 241
Reducer m.f. ISO N4 fig. 241
Reduzierung Außen/Innengewinde
ISO N4 fig. 241

Codice/Code	misura /size	■
RZ54K3814	3/8x1/4	10
RZ54K1214	1/2x1/4	10
RZ54K1238	1/2x3/8	10
RZ54K3414	3/4x1/4	10
RZ54K3438	3/4x3/8	10
RZ54K3412	3/4x1/2	10
RZ54K0114	1"x1/4	10
RZ54K0138	1"x3/8	10
RZ54K0112	1"x1/2	10
RZ54K0134	1"x3/4	10
RZ54K4138	1"1/4x3/8	4
RZ54K4112	1"1/4x1/2	4
RZ54K4134	1"1/4x3/4	4
RZ54K4101	1"1/4x1"	4
RZ54K2112	1"1/2x1/2	4
RZ54K2134	1"1/2x3/4	4
RZ54K2101	1"1/2x1"	4
RZ54K2141	1"1/2x1"1/4	4
RZ54K0212	2"x1/2	2
RZ54K0234	2"x3/4	2
RZ54K0201	2"x1"	2
RZ54K0241	2"x1"1/4	2
RZ54K0221	2"x1"1/2	2
RZ54K2201	2"1/2x1"	1
RZ54K2241	2"1/2x1"1/4	1
RZ54K2221	2"1/2x1"1/2	1
RZ54K2202	2"1/2x2"	1
RZ54K0301	3"x1"	1
RZ54K0341	3"x1"1/4	1
RZ54K0321	3"x1"1/2	1
RZ54K0302	3"x2"	1
RZ54K0322	3"x2"1/2	1
RZ54K0401	4"x1"	1
RZ54K0441	4"x1"1/4	1
RZ54K0421	4"x1"1/2	1
RZ54K0402	4"x2"	1
RZ54K0422	4"x2"1/2	1
RZ54K0403	4"x3"	1
RZ54K0504	5"x4"	1
RZ54K0603	6"x3"	1
RZ54K0604	6"x4"	1
RZ54K0605	6"x5"	1

RZ 52K



Nipplo conico ridotto ISO N8 fig. 245
Reduced nipple ISO N8 fig. 245
Reduzier Nippel ISO N8 fig. 245

Codice/Code	misura /size	■
RZ52K1438	3/8x1/4	10
RZ52K1412	1/2x1/4	10
RZ52K3812	1/2x3/8	10
RZ52K3834	3/4x3/8	10
RZ52K1234	3/4x1/2	10
RZ52K1201	1"x1/2	10
RZ52K3401	1"x3/4	10
RZ52K1241	1"1/4x1/2	4
RZ52K3441	1"1/4x3/4	4
RZ52K0141	1"1/4x1"	4
RZ52K3421	1"1/2x3/4	4
RZ52K0121	1"1/2x1"	4
RZ52K4121	1"1/2x1"1/4	4
RZ52K0102	2"x1"	2
RZ52K4102	2"x1"1/4	2
RZ52K2102	2"x1"1/2	2
RZ52K2122	2"1/2x1"1/2	1
RZ52K0222	2"1/2x2"	1
RZ52K0203	3"x2"	1
RZ52K2203	3"x2"1/2	1
RZ52K0204	4"x2"	1
RZ52K2204	4"x2"1/2	1
RZ52K0304	4"x3"	1

RZ 55K



Manicotto m.f. ISO M4 fig. 529
Sleeve m.f. ISO M4 fig. 529
Muffe ISO M4 fig. 529

Codice/Code	misura /size	■
RZ55K3838	3/8	10
RZ55K1212	1/2	10
RZ55K3434	3/4	10
RZ55K0101	1"	10
RZ55K4141	1"1/4	4
RZ55K2121	1"1/2	4
RZ55K0202	2"	2

Raccordi in ghisa malleabile zincato

Malleable cast iron fittings
Gusseisen Verschraubungen


RZ 55K



Manicotto ridotto m.f. ISO M4 fig. 246
Sleeve reducing m.f. ISO M4 fig. 246
Reduzierte Muffe ISO M4 fig. 246

Codice/Code	misura /size	
RZ55K1214	1/2x1/4	10
RZ55K1238	1/2x3/8	10
RZ55K3438	3/4x3/8	10
RZ55K3412	3/4x1/2	10
RZ55K0112	1"x1/2	10
RZ55K0134	1"x3/4	10
RZ55K4112	1"1/4x1/2	4
RZ55K4134	1"1/4x3/4	4
RZ55K4101	1"1/4x1"	4
RZ55K2134	1"1/2x3/4	4
RZ55K2101	1"1/2x1"	4
RZ55K2141	1"1/2x 1"1/4	4
RZ55K0201	2"x1"	2
RZ55K0241	2"x 1"1/4	1
RZ55K0221	2"x 1"1/2	1
RZ55K2202	2"1/2x2"	1
RZ55K0322	3"x2"1/2	1


RZ 58



Tappo femmina ISO T1 fig. 300
Female plug ISO T1 fig. 300
Kappe ISO T1 fig. 300

Codice/Code	misura /size	
RZ580014	1/4	10
RZ580038	3/8	10
RZ580012	1/2	10
RZ580034	3/4	10
RZ580001	1"	10
RZ580041	1"1/4	4
RZ580021	1"1/2	4
RZ580002	2"	2
RZ580022	2"1/2	1
RZ580003	3"	1
RZ580004	4"	1

RZ 56



Manicotto ridotto f.f. ISO M2 fig. 240
Sleeve reducing f.f. ISO M2 fig. 240
Reduzierte Muffe ISO M2 fig. 240

Codice/Code	misura /size	
RZ561412	1/2x1/4	10
RZ563812	1/2x3/8	10
RZ563834	3/4x3/8	10
RZ561234	3/4x1/2	10
RZ563801	1"x3/8	10
RZ561201	1"x1/2	10
RZ563401	1"x3/4	10
RZ561241	1"1/4x1/2	10
RZ563441	1"1/4x3/4	10
RZ560141	1"1/4x1"	10
RZ561221	1"1/2x1/2	4
RZ563421	1"1/2x3/4	4
RZ560121	1"1/2x1"	4
RZ564121	1"1/2x 1"1/4	4
RZ563402	2"x3/4	2
RZ560102	2"x1"	2
RZ564102	2"x 1"1/4	2
RZ562102	2"x 1"1/2	2

RZ 59



Gomito 90° f.f. ISO A1 fig. 90
Elbow 90° f.f. ISO A1 fig. 90
Winkelverschraubung 90° ISO A1 fig. 90

Codice/Code	misura /size	
RZ590014	1/4	10
RZ590038	3/8	10
RZ590012	1/2	10
RZ590034	3/4	10
RZ590001	1"	10
RZ590041	1"1/4	4
RZ590021	1"1/2	4
RZ590002	2"	2
RZ590022	2"1/2	1
RZ590003	3"	1
RZ590004	4"	1
RZ590005	5"	1
RZ590006	6"	1

RZ 59R



Gomito ridotto 90° f.f. ISO A1 fig. 90R
Elbow reducing 90° f.f. ISO A1 fig. 90R
Reduzierung Winkelverschraubung 90°
ISO A1 fig. 90R

Codice/Code	misura /size	
RZ59R1214	1/2x1/4	10
RZ59R1238	1/2x3/8	10
RZ59R3438	3/4x3/8	10
RZ59R3412	3/4x1/2	10
RZ59R0112	1"x1/2	10
RZ59R0134	1"x3/4	10
RZ59R4112	1"1/4x1/2	4
RZ59R4134	1"1/4x3/4	4
RZ59R4101	1"1/4x1"	4
RZ59R2101	1"1/2x1"	4
RZ59R2141	1"1/2x 1"1/4	4
RZ59R0201	2"x1"	2
RZ59R0241	2"x 1"1/4	2
RZ59R0221	2"x 1"1/2	2

RZ 57K



Tappo maschio ISO T9 fig. 290
Male plug ISO T9 fig. 290
Stopfen ISO T9 fig. 290

Codice/Code	misura /size	
RZ57K0014	1/4	10
RZ57K0038	3/8	10
RZ57K0012	1/2	10
RZ57K0034	3/4	10
RZ57K0001	1"	10
RZ57K0041	1"1/4	4
RZ57K0021	1"1/2	4
RZ57K0002	2"	2
RZ57K0022	2"1/2	1
RZ57K0003	3"	1
RZ57K0004	4"	1

RZ 45K



Curva a 45° m.f. ISO G4/45° fig. 40
Elbow 45° m.f. ISO G4/45° fig. 40
Winkelverschraubung 45° ISO G4/45° fig. 40

Codice/Code	misura /size	
RZ45K0014	1/4	10
RZ45K0038	3/8	10
RZ45K0012	1/2	10
RZ45K0034	3/4	10
RZ45K0001	1"	10
RZ45K0041	1"1/4	4
RZ45K0021	1"1/2	4
RZ45K0002	2"	2
RZ45K0022	2"1/2	1
RZ45K0003	3"	1
RZ45K0004	4"	1

Raccordi in ghisa malleabile zincato

Malleable cast iron fittings
Gusseisen Verschraubungen

RZ

RZ 45F

Curva a 45° f.f. ISO G1/45° fig. 41
Elbow 45° f.f. ISO G1/45° fig. 41
Winkelverschraubung 45°
ISO G1/45° fig. 41



Codice/Code	misura /size	■
RZ45F0014	1/4	10
RZ45F0038	3/8	10
RZ45F0012	1/2	10
RZ45F0034	3/4	10
RZ45F0001	1"	10
RZ45F0041	1"1/4	4
RZ45F0021	1"1/2	2
RZ45F0002	2"	1
RZ45F0022	2"1/2	1
RZ45F0003	3"	1

RZ 91

Saltatubi f.f. fig. 85
Cross over f.f. fig.85
Rohr-Bogen fig.85



Codice/Code	misura /size	■
RZ910012	1/2	10
RZ910034	3/4	10
RZ910001	1"	10

RZ 90K

Curva a 90° m.f. ISO G4 fig. 1
Elbow 90° m.f. ISO G4 fig. 1
Winkelverschraubung 90° ISO G4 fig. 1



Codice/Code	misura /size	■
RZ90K0014	1/4	10
RZ90K0038	3/8	10
RZ90K0012	1/2	10
RZ90K0034	3/4	10
RZ90K0001	1"	10
RZ90K0041	1"1/4	4
RZ90K0021	1"1/2	4
RZ90K0002	2"	2
RZ90K0022	2"1/2	1
RZ90K0003	3"	1
RZ90K0004	4"	1

RZ 60K


Gomito 90° m.f. ISO A4 fig. 92
Elbow 90° m.f. ISO A4 fig. 92
Winkelverschraubung 90° ISO A4 fig. 92



Codice/Code	misura /size	■
RZ60K0014	1/4	10
RZ60K0038	3/8	10
RZ60K0012	1/2	10
RZ60K0034	3/4	10
RZ60K0001	1"	10
RZ60K0041	1"1/4	4
RZ60K0021	1"1/2	4
RZ60K0002	2"	2
RZ60K0022	2"1/2	1
RZ60K0003	3"	1
RZ60K0004	4"	1
RZ60K0005	5"	1
RZ60K0006	6"	1

RZ 90F

Curva a 90° f.f. ISO G1 fig. 2
Elbow 90° f.f. ISO G1 fig. 2
Winkelverschraubung 90° ISO G1 fig. 2



Codice/Code	misura /size	■
RZ90F0014	1/4	10
RZ90F0038	3/8	10
RZ90F0012	1/2	10
RZ90F0034	3/4	10
RZ90F0001	1"	10
RZ90F0041	1"1/4	4
RZ90F0021	1"1/2	4
RZ90F0002	2"	2
RZ90F0022	2"1/2	1
RZ90F0003	3"	1
RZ90F0004	4"	1

RZ 61

Tee f.f.f. ISO B1 fig. 130
Tee f.f.f. ISO B1 fig. 130
T-Verschraubung ISO B1 fig. 130



Codice/Code	misura /size	■
RZ610014	1/4	10
RZ610038	3/8	10
RZ610012	1/2	10
RZ610034	3/4	10
RZ610001	1"	10
RZ610041	1"1/4	4
RZ610021	1"1/2	4
RZ610002	2"	2
RZ610022	2"1/2	1
RZ610003	3"	1
RZ610004	4"	1
RZ610005	5"	1
RZ610006	6"	1

RZ 90M

Curva a 90° m.m. ISO G8 fig. 3
Elbow 90° m.m. ISO G8 fig. 3
Winkelverschraubung 90° ISO G8 fig. 3



Codice/Code	misura /size	■
RZ90M0012	1/2	10
RZ90M0034	3/4	10
RZ90M0001	1"	10
RZ90M0041	1"1/4	4
RZ90M0021	1"1/2	4
RZ90M0002	2"	2

Raccordi in ghisa malleabile zincato

Malleable cast iron fittings
Gusseisen Verschraubungen

RZ 61R



Tee ridotto f.f.f. ISO B1 fig. 130R

Tee reducer f.f.f. ISO B1 fig. 130R
T-Reduzierung ISO B1 fig. 130R

Codice/Code	misura /size	
RZ61R343834	3/4 x 3/8 x 3/4	10
RZ61R123838	1/2 x 3/8 x 3/8	10
RZ61R123812	1/2 x 3/8 x 1/2	10
RZ61R121238	1/2 x 1/2 x 3/8	10
RZ61R123412	1/2 x 3/4 x 1/2	10
RZ61R341212	3/4 x 1/2 x 1/2	10
RZ61R341234	3/4 x 1/2 x 3/4	10
RZ61R343412	3/4 x 3/4 x 1/2	10
RZ61R340134	3/4 x 1" x 3/4	10
RZ61R011212	1" x 1/2 x 1/2	10
RZ61R011234	1" x 1/2 x 3/4	10
RZ61R011201	1" x 1/2 x 1"	10
RZ61R013412	1" x 3/4 x 1/2	10
RZ61R013434	1" x 3/4 x 3/4	10
RZ61R013401	1" x 3/4 x 1"	10
RZ61R010112	1" x 1" x 1/2	10
RZ61R010134	1" x 1" x 3/4	10
RZ61R014101	1" x 1" x 1"	4
RZ61R411241	1" x 1/2 x 1" x 1/4	4
RZ61R413434	1" x 1/4 x 3/4 x 3/4	4
RZ61R413441	1" x 1/4 x 3/4 x 1" x 1/4	4
RZ61R410101	1" x 1/4 x 1" x 1"	4
RZ61R410141	1" x 1/4 x 1" x 1" x 1/4	4
RZ61R414112	1" x 1/4 x 1" x 1/4 x 1/2	4
RZ61R414134	1" x 1/4 x 1" x 1/4 x 3/4	4
RZ61R414101	1" x 1/4 x 1" x 1/4 x 1"	4
RZ61R412141	1" x 1/4 x 1" x 1/2 x 1" x 1/4	4
RZ61R211221	1" x 1/2 x 1/2 x 1" x 1/2	4
RZ61R213421	1" x 1/2 x 3/4 x 1" x 1/2	4
RZ61R210101	1" x 1/2 x 1" x 1"	4
RZ61R210121	1" x 1/2 x 1" x 1" x 1/2	4
RZ61R214121	1" x 1/2 x 1" x 1/4 x 1" x 1/2	4
RZ61R212112	1" x 1/2 x 1" x 1/2 x 1/2	4
RZ61R212134	1" x 1/2 x 1" x 1/2 x 3/4	4
RZ61R212101	1" x 1/2 x 1" x 1/2 x 1"	4
RZ61R212141	1" x 1/2 x 1" x 1/2 x 1" x 1/4	4
RZ61R022102	2" x 1/2 x 2"	2
RZ61R023402	2" x 3/4 x 2"	2
RZ61R020102	2" x 1" x 2"	2
RZ61R024102	2" x 1" x 1/4 x 2"	2
RZ61R022102	2" x 1" x 1/2 x 2"	2
RZ61R020234	2" x 2" x 3/4	2
RZ61R020201	2" x 2" x 1"	2
RZ61R020241	2" x 2" x 1" x 1/4	2
RZ61R224122	2" x 1/2 x 1" x 1/4 x 2" x 1/2	1
RZ61R222122	2" x 1/2 x 1" x 1/2 x 2" x 1/2	1
RZ61R220222	2" x 1/2 x 2" x 2" x 1/2	1
RZ61R032103	3" x 1" x 1/2 x 3"	1
RZ61R030203	3" x 2" x 3"	1
RZ61R032203	3" x 2" x 1/2 x 3"	1
RZ61R040204	4" x 2" x 4"	1
RZ61R042204	4" x 2" x 1/2 x 4"	1
RZ61R040304	4" x 3" x 4"	1

RZ 63




Distribuzione f.f.f. 4 vie ISO ZA2 fig. 223

4 Ways f.f.f. ISO ZA2 fig. 223
Verteilerblock 4-Fach ISO ZA2 fig. 223

Codice/Code	misura /size	
RZ630012	1/2	10
RZ630034	3/4	10
RZ630001	1"	10
RZ630041	1" x 1/4	4
RZ630021	1" x 1/2	4
RZ630002	2"	2

RZ 64



Croce f.f.f. ISO C1 fig. 180

Cross f.f.f. ISO C1 fig. 180
Kreuz ISO C1 fig. 180

Codice/Code	misura /size	
RZ640038	3/8	10
RZ640012	1/2	10
RZ640034	3/4	10
RZ640001	1"	10
RZ640041	1" x 1/4	4
RZ640021	1" x 1/2	4
RZ640002	2"	2
RZ640022	2" x 1/2	1
RZ640003	3"	1
RZ640004	4"	1
RZ640005	5"	1
RZ640006	6"	1

RZ 65



Bocchettone f.f. sede conica
ISO U11 fig. 340

Conic pipe union f.f. ISO U11 fig. 340
Verlängerung konischer Sitz ISO U11 fig. 340

Codice/Code	misura /size	
RZ650014	1/4	10
RZ650038	3/8	10
RZ650012	1/2	10
RZ650034	3/4	10
RZ650001	1"	10
RZ650041	1" x 1/4	4
RZ650021	1" x 1/2	4
RZ650002	2"	2
RZ650022	2" x 1/2	1
RZ650003	3"	1
RZ650004	4"	1
RZ650005	5"	1
RZ650006	6"	1

RZ 66K



Bocchettone m.f. sede conica
ISO U12 fig. 341

Conic pipe union m.f. ISO U12 fig. 341
Verlängerung konischer Sitz ISO U12 fig. 341

Codice/Code	misura /size	
RZ66K0014	1/4	10
RZ66K0038	3/8	10
RZ66K0012	1/2	10
RZ66K0034	3/4	10
RZ66K0001	1"	10
RZ66K0041	1" x 1/4	4
RZ66K0021	1" x 1/2	4
RZ66K0002	2"	2
RZ66K0022	2" x 1/2	1
RZ66K0003	3"	1
RZ66K0004	4"	1

RZ 62



Distribuzione f.f.f. 3 vie ISO ZA1 fig. 221

3 Ways f.f.f. ISO ZA1 fig. 221

Verteilerblock dreifach ISO ZA1 fig. 221

Codice/Code	misura /size	
RZ620038	3/8	10
RZ620012	1/2	10
RZ620034	3/4	10
RZ620001	1"	10
RZ620041	1" x 1/4	4
RZ620021	1" x 1/2	4
RZ620002	2"	2

Raccordi in ghisa malleabile zincato

Malleable cast iron fittings
Gusseisen Verschraubungen

RZ

RZ **67**

Bocchettone f.f. sede piana
ISO U1 fig. 330

Flat pipe union f.f. ISO U1 fig. 330
Verlängerung flacher Sitz ISO U1 fig. 330



Codice/Code	misura /size	■
RZ670012	1/2	10
RZ670034	3/4	10
RZ670001	1"	10
RZ670041	1"1/4	4
RZ670021	1"1/2	4
RZ670002	2"	2
RZ670022	2"1/2	1
RZ670003	3"	1
RZ670004	4"	1

RZ **71**

Ghiera fig. 310

Nut fig. 310

Mutter fig. 310



Codice/Code	misura /size	■
RZ710012	1/2	10
RZ710034	3/4	10
RZ710001	1"	10
RZ710041	1"1/4	4
RZ710021	1"1/2	4
RZ710002	2"	2

RZ **68K**

Bocchettone m.f. sede piana
ISO U2 fig. 331

Flat pipe union m.f. ISO U2 fig. 331
Verlängerung flacher Sitz ISO U2 fig. 331



Codice/Code	misura /size	■
RZ68K0038	3/8	10
RZ68K0012	1/2	10
RZ68K0034	3/4	10
RZ68K0001	1"	10
RZ68K0041	1"1/4	4
RZ68K0021	1"1/2	4
RZ68K0002	2"	2
RZ68K0022	2"1/2	1
RZ68K0003	3"	1

RZ **76**

Distributore Y fig. 20

Distributor Y fig. 220

Y Verteiler fig. 220



Codice/Code	misura /size	■
RZ760012	1/2	10
RZ760034	3/4	10
RZ760001	1"	10

RZ **69K**

Bocchettone 90° m.f. sede conica
ISO UA12 fig. 98

Conic seat m.f. bent pipe union ISO UA12 fig. 98
Winkelverlängerung 90°
konischer Sitz ISO UA12 fig. 98



Codice/Code	misura /size	■
RZ69K0038	3/8	10
RZ69K0012	1/2	10
RZ69K0034	3/4	10
RZ69K0001	1"	10
RZ69K0041	1"1/4	4
RZ69K0021	1"1/2	4
RZ69K0002	2"	2
RZ69K0022	2"1/2	1
RZ69K0003	3"	1

RZ **70**

Bocchettone 90° f.f. sede conica
ISO UA11 fig. 96

Conic seat m.f. Bent pipe union ISO UA11 fig. 96
Winkelverlängerung 90°
konischer Sitz UA11 fig. 96



Codice/Code	misura /size	■
RZ700012	1/2	10
RZ700034	3/4	10
RZ700001	1"	10
RZ700041	1"1/4	4
RZ700021	1"1/2	4
RZ700002	2"	2
RZ700022	2"1/2	1
RZ700003	3"	1